



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

APBB3 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00010307-T01

規格 : [100 uL]

[List All](#)

Specification

Transfected Cell Line: 293T


Plasmid: pCMV-APBB3 full-length

Host: Human

Theoretical MW (kDa): 52.6


Quality Control Testing: Transient overexpression cell lysate was tested with Anti-APBB3 antibody (H00010307-B01) by Western Blots.

SDS-PAGE Gel



APBB3 transfected lysate

Western Blot



Lane 1: APBB3 transfected lysate (52.6 KDa).

Lane 2: Non-transfected lysate.

Storage Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

MSDS:  [Download](#)

Applications

Western Blot

Gene Information

Entrez GeneID: [10307](#)

**GeneBank
Accession#:** [BC013158](#)

**Protein
Accession#:** [AAH13158](#)

Gene Name: APBB3

Gene Alias: FE65L2,MGC150555,MGC87674,SRA

**Gene
Description:** amyloid beta (A4) precursor protein-binding, family B, member 3

Omim ID: [602711](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: The protein encoded by this gene is a member of the APBB protein family. It is found in the cytoplasm and binds to the intracellular domain of the Alzheimer's disease beta-amyloid precursor protein (APP) as well as to other APP-like proteins. It is thought that the protein encoded by this gene may modulate the internalization of APP. Multiple transcript variants encoding several different isoforms have been found for this gene. [provided by RefSeq]

**Other
Designations:** FE65-like protein 2,amyloid beta precursor protein-binding, family B, member 3,amyloid precursor interacting protein

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.