



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com


www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-Human CD38 In Vivo Antibody - Low Endotoxin (OKT10) [ICH1157]

SKU: ICH1157

Link: <https://www.ichor.bio/product/anti-human-cd38-in-vivo-antibody-low-endotoxin-okt10-ich1157/>



Product Information

Category: anti-mouse, Low Endotoxin, Ultra Low Endotoxin

Size: 1mg, 5mg, 25mg, 50mg, 100mg

Endotoxin Level: Low, Ultra low

Product Description

Product Benefits:

ichorbio's anti-CD38 In Vivo Antibody - Low Endotoxin (OKT10) is manufactured in a cGMP compliant, ISO Quality Standard 9001:2015 facility. ichorbio's low endotoxin antibodies have half the endotoxin of comparable antibodies from our competitors (<https://www.ichor.bio/comparing-ichorbio-to-bio-x-cell-biolegend/>), at less than 1.0 EU/mg. If ichorbio's low endotoxin antibodies are not low enough we also offer ultra low endotoxin antibodies which have even less endotoxin (<0.75EU/mg) at an even higher purity (98% versus 95%). ichorbio offers Amazon vouchers or donations to the NC3Rs for reviews of this product: click [here](https://www.ichor.bio/amazon-vouchers/) (<https://www.ichor.bio/amazon-vouchers/>) for more information. ichorbio: the best antibodies for *in vivo* research.

Target:

CD38

Clone:

OKT10

Isotype:

Mouse IgG1

Other Names:

ADP-ribosyl cyclase/cyclic ADP-ribose hydrolase 1, ADPRC 1, I-19, NIM-R5

Uniprot:[P56528 \(https://www.uniprot.org/uniprot/P56528\)](https://www.uniprot.org/uniprot/P56528)**Host:**

Mouse

Species Reactivity:

Mouse

Specificity:

Clone OKT10 recognizes an epitope on human CD38.

Purification Method:

This monoclonal antibody was purified using multi-step affinity chromatography methods such as Protein A or G depending on the species and isotype.

Antigen Distribution:

CD38 is present on the surface of immune cells such as CD4+, CD8+, B lymphocytes, natural killer cells, mature lymphocytes, and mature lymphoplasmacytic cells.

Background:

CD38 is a 45kD type II transmembrane glycoprotein that plays a role in the regulation of intracellular Ca²⁺ by synthesizing and hydrolyzing an intracellular calcium ion mobilizing messenger. CD38 has both extracellular and intracellular functions as indicated by the release of soluble protein and the ability of membrane-bound protein to become internalized. The functional molecule is a

dimer that contains the catalytic site in the central portion, and is involved in both extracellular and intracellular functions. CD38 plays a role in cell adhesion, signal transduction and calcium signaling. CD38 has been used as a biomarker to measure the progress of a chronic lymphocytic leukemia in patients. Because CD38 is expressed on mature lymphocytes and lymphoplasmacytic cells, OKT10 can be used to study final B cell maturation. OKT10 reactivity with CD38 occurs in an inversely proportional relationship to the occurrence of Ia-like antigenic expression. Hence, these two antigens can be used as reciprocal complementary reactants for the study of mature B cell malignancies, such as CLL, multiple myeloma, and Waldenström malignancy.

Concentration:

1.0 mg/ml

Formulation:

This monoclonal antibody is aseptically packaged and formulated in 0.01 M phosphate buffered saline (PBS) pH 7.2 - 7.4, 150 mM NaCl with no carrier protein, potassium or preservatives added. BSA and azide free

Purity:

>95% by SDS-PAGE and HPLC

>98% by SDS-PAGE and HPLC

Endotoxin:

≤ 1.0 EU/mg as determined by the LAL method

≤ 0.75 EU/mg as determined by the LAL method

Aggregation:

Aggregation level ≤ 5%

Aggregation level ≤ 1%

IMPACT Pathogen Test:

We use the IMPACT test generated by IDEXX Laboratories to guarantee our Ultra Low Endotoxin antibodies are pathogen free. Our mouse antibodies are tested for: Mycoplasma spp. Mycoplasma pulmonis Sendai virus Mouse hepatitis virus Pneumonia virus of mice Minute virus of mice Mouse parvovirus (MPV1-5) Theiler's murine encephalomyelitis virus Murine norovirus Reovirus 3 Mouse rotavirus Ectromelia virus Lymphocytic choriomeningitis virus Polyoma virus Lactate dehydrogenase-elevating virus Mouse adenovirus (MAD1, MAD2) Mouse cytomegalovirus K virus Mouse thymic virus Hantaan virus Corynebacterium bovis Corynebacterium spp. (HAC2)

Storage:

This antibody is stable for at least one week when stored sterile at 2-8°C. For long term storage aseptically aliquot in working volumes without diluting and store at -80°C. Avoid Repeated Freeze Thaw Cycles.

Applications:

Flow cytometry

Application Notes:

Each investigator should determine their own optimal working dilution for specific applications.

Use:

Products are for research use only. Not for use in diagnostic or therapeutic procedures.