



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-Human Creatine Kinase-MM [MAK33] Standard Size Ab00395-10.0

This chimeric human antibody was made using the variable domain sequences of the original Mouse IgG1 format, for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Human IgG1, Kappa

Clone Number: MAK33

Alternative Name(s) of Target: CK-MM

UniProt Accession Number of Target Protein: P06732

Published Application(s): ELISA

Published Species Reactivity: Human

Immunogen: Human creatine-kinase-MM in Al(OH)₃.

Specificity: The antibody binds specifically to the human creatine-kinase-MM subtype (and not the the MB or BB subtype).

Application Notes: This antibody binds to human muscle creatine-kinase-MM, an enzyme that catalyzes the conversion of creatine and ATP to phosphocreatine and ADP, generating an ATP-buffer in the muscle. The antibody blocks CK-MM activity by 80%.

Antibody First Published in: Buckel et al. Cloning and nucleotide sequence of heavy- and light-chain cDNAs from a creatine-kinase specific monoclonal antibody Gene 1987; 51:13-19 [PMID:3110009](#)

Note on publication: Describes the generation of a monoclonal antibody directed against the human creatine kinase M-subunit.

Product Form

Size: 200 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.