



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic)

## Anti-CD4 [OX-35] Standard Size Ab00567-8.4

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

This chimeric rat antibody was made using the variable domain sequences of the original Mouse IgG2a format, for improved compatibility with existing reagents, assays and techniques.

**Isotype and Format:** Rat IgG2b, Fc Silent™, Kappa

**Clone Number:** OX-35

**Alternative Name(s) of Target:** L3T4; T4; Leu3; Leu-3; Ly4; Ly-4; W3/25 antigen; OX35; MRC OX-35; MRC OX35

**UniProt Accession Number of Target Protein:** P05540

**Published Application(s):** functional, IP, WB, ELISA, IF, IHC

**Published Species Reactivity:** Rat

**Immunogen:** OX-35 was prepared by immunizing mice with T blasts prepared in mixed lymphocyte reactions with purified rat T helper cells against irradiated spleen.

**Specificity:** OX-35 shows specificity towards rat CD4 antigen. W3/25 and OX-36 bind to different epitopes on CD4 antigen. CD4 is an accessory protein for MHC class-II antigen/T-cell receptor interaction and is involved in regulation of T-cell activation.

**Application Notes:** This antibody is able to label cells expressing CD4 on their surface and can precipitate CD4 from detergent extracts of radioactively labelled thymocytes.

**Antibody First Published in:** Robinson et al. Macrophage heterogeneity in the rat as delineated by two monoclonal antibodies MRC OX-41 and MRC OX-42, the latter recognizing complement receptor type 3 *Immunology* 1986 57 239-247 [PMID:3512425](#)

**Note on publication:** Describes the original use of this antibody to detect SIRP alpha in labelling, immunoperoxidase and immunofluorescence studies to investigate macrophage heterogeneity.

## Product Form

**Size:** 200 µg Purified antibody.

**Purification:** Protein A affinity purified

**Supplied In:** PBS with 0.02% Proclin 300.

**Storage Recommendation:** Store at 4°C for up to 3 months. For longer storage, aliquot and store at -

20°C.

**Concentration:** 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.