



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

### Description

Adeno-Associated Virus-DJ (AAV-DJ) is a synthetic serotype made from eight different wild-type AAV serotypes (AAV2, 4, 5, 8, 9, avian, bovine, and goat AAV) using DNA shuffling. These modifications give the AAV-DJ serotype improved transduction efficiency *in vitro* and *in vivo* compared to wild-type serotypes. Consequently, AAV-DJ can infect a broad range of cell types.

These AAV particles constitutively express the firefly (*Photinus pyralis*) luciferase and enhanced Green Fluorescent Protein (eGFP) genes connected via a T2A linker, under the control of a CMV promoter. The T2A self-cleaving peptide (derived from *Thosea asigna* virus 2A) leads to the efficient cleavage of the transcript, and expression of luciferase and eGFP as two separate proteins.

### Application(s)

- Use as a positive control for transduction
- Optimize transduction assays and track protein expression over time

### Serotype


AAV-DJ

### Formulation

AAV-DJ was produced in HEK293-AAV cells and is supplied in PBS-MK (PBS Magnesium-Potassium) buffer containing 0.01% Pluronic F68.

### Purification

The purity of the AAV particles was confirmed to be greater than 90% by staining with One-Step Lumitein™ UV Protein Gel Stain (Biotium #21005-1L). The purity will vary with each lot; the exact value is provided with each shipment.



*Figure 1. Purified AAV-DJ Luciferase-eGFP particles.*

Staining of a 4-20% SDS-PAGE gel. The protein ladder is in lane 1, and  $2 \times 10^9$  GC (genome copy number) of AAV-DJ was loaded in lane 2. AAV viral proteins VP1, VP2, and VP3 are labeled.

### Titer


Two vials (50  $\mu$ l x 2) of AAV at a titer  $\geq 1 \times 10^{12}$  TU/ml. The titer is determined by qPCR and will vary with each lot; the exact value is provided with each shipment.

**Storage**

AAV is shipped with dry ice. For long-term storage, it is recommended to store AAV at  $-80^{\circ}\text{C}$ . Avoid repeated freeze-thaw cycles. Titters can drop significantly with each freeze-thaw cycle.


**Biosafety**

Recombinant AAV is inherently replication-deficient and not known to cause any human diseases. Additionally, following transduction, AAV vectors exist episomally and do not integrate into or disrupt the host cell's genome. AAV requires the use of a Biosafety Level 1 facility. BPS Bioscience recommends following all local, federal, state, and institutional regulations and using all appropriate safety precautions.

**Validation Data**

*Figure 2. Transduction of HEK293 cells using AAV-DJ Luciferase-eGFP particles.*

$1 \times 10^5$  cells/well were transduced in a 6-well plate with AAV-DJ Luciferase-eGFP at an MOI of  $2 \times 10^4$ . After 72 hours of transduction, eGFP expression in the target cells was observed under a fluorescence microscope. eGFP expression was stable over time and still observed 30 days after transduction.



*Figure 3. Luciferase activity of HEK293 cells transduced by AAV-DJ Luciferase-eGFP particles.*

1 x 10<sup>5</sup> cells/well were transduced in a 6-well plate with AAV-DJ Luciferase-eGFP at an MOI of 2 x 10<sup>4</sup>. After 72 hours of transduction, transduced cells or parental HEK293 cells were seeded in a 96-well plate at a density of 2 x 10<sup>4</sup> cells/well, and luciferase activity was measured using the ONE-Step™ Luciferase Assay System (BPS Bioscience #60690).

#### Notes

The AAV-DJ viruses are covered under several patents, including U.S. Patent Nos. 7,588,772, 8,067,014, 8,574,583, and 8,906,387, as well as corresponding foreign patents applications and patent rights. AAV-DJ is used under a license agreement.

#### Troubleshooting Guide

Visit [bpsbioscience.com/lentivirus-faq](https://bpsbioscience.com/lentivirus-faq) for detailed troubleshooting instructions. For all further questions, please email [support@bpsbioscience.com](mailto:support@bpsbioscience.com).

#### Related Products

Products	Catalog #	Size
AAV1 ZsGreen	78443	50 µl x 2
AAV2 ZsGreen	78444	50 µl x 2
AAV3 ZsGreen	78445	50 µl x 2
AAV5 ZsGreen	78447	50 µl x 2
AAV6 ZsGreen	78448	50 µl x 2
AAV8 ZsGreen	78449	50 µl x 2
AAV9 ZsGreen	78450	50 µl x 2
AAV-DJ ZsGreen	78442	50 µl x 2
AAV-DJ Luciferase	78451	50 µl x 2
AAV5-Luciferase-eGFP	78645	50 µl x 2
AAV6-Luciferase-eGFP	78646	50 µl x 2
AAV8-Luciferase-eGFP	78647	50 µl x 2
AAV9-Luciferase-eGFP	78648	50 µl x 2