



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 


PRODUCT INFORMATION



ML-228

Item No. 14568

CAS Registry No.: 1357171-62-0
Formal Name: N-([1,1'-biphenyl]-4-ylmethyl)-6-phenyl-3-(2-pyridinyl)-1,2,4-triazin-5-amine
Synonym: CID-46742353
MF: C₂₇H₂₁N₅
FW: 415.5
Purity: ≥95%
UV/Vis.: λ_{max}: 268, 328 nm
Supplied as: A crystalline solid
Storage: -20°C
Stability: ≥2 years



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

ML-228 is supplied as a crystalline solid. A stock solution may be made by dissolving the ML-228 in the solvent of choice. ML-228 is soluble in organic solvents such as ethanol, DMSO, and dimethyl formamide (DMF), which should be purged with an inert gas. The solubility of ML-228 in ethanol and DMF is approximately 30 mg/ml and approximately 25 mg/ml in DMSO.

ML-228 is sparingly soluble in aqueous buffers. For maximum solubility in aqueous buffers, ML-228 should first be dissolved in ethanol and then diluted with the aqueous buffer of choice. ML-228 has a solubility of approximately 0.25 mg/ml in a 1:2 solution of ethanol:PBS (pH 7.2) using this method. We do not recommend storing the aqueous solution for more than one day.

Description

The hypoxia-inducible factor (HIF) transcription factors are members of the basic-helix-loop-helix (bHLH) family of transcription factors and play important roles in maintaining cellular oxygen homeostasis.^{1,2} HIF-1α has emerged as an important drug target in breast and prostate cancer, cardiovascular disease, and ischemia.^{3,4} ML-228 is an activator of the HIF signaling pathway, as demonstrated by HIF response element (HRE) reporter assay (EC₅₀ = 1.2 μM), HIF-1α nuclear translocation assay (EC₅₀ = 1.3 μM), and increased VEGF expression (EC₅₀ = 1.6 μM).⁵ Its activity in the HRE assay is blocked by excess iron, suggesting that ML-228 can chelate iron.⁵ Molecular modeling indicates that ML-228 does not modulate HIF signaling by binding to prolyl hydroxylases.⁵ ML-228 also significantly inhibits ligand binding to several channels, receptors, and transporters, including ERG potassium channel, 5-HT_{2B} and A₃ adenosine receptors, and dopamine transporter.⁵

Reference

1. Wang, G.L., Jiang, B.H., Rue, E.A., *et al.* *Proc. Natl. Acad. Sci. U. S. A.* **92**(12), 5510-5514 (1995).
2. Safran, M. and Kaelin, W.G., Jr. *J. Clin. Invest.* **111**(6), 779-783 (2003).
3. William, C., Masson, N., Tian, Y.M., *et al.* *Proc. Natl. Acad. Sci. U. S. A.* **99**(16), 10423-10428 (2002).
4. Welsh, S., Williams, R., Kirkpatrick, L., *et al.* *Mol. Cancer Ther.* **3**(3), 233-244 (2004).
5. Theriault, J.R., Felts, A.S., Bates, B.S., *et al.* *Bioorg. Med. Chem. Lett.* **22**(1), 76-81 (2012).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the [complete](#) Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 10/18/2018

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM