



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

CD47 antibody [B6H12.2]

Cat. No. GTX04817

Host	Mouse
Clonality	Monoclonal
Isotype	IgG1
Application	WB, ICC/IF, FACS, in vitro
Reactivity	Human

Reference (1)

Package

100 µg

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	2-4 µg/ml
ICC/IF	1-3 µg/ml
FACS	1- 2 µg/10 ⁶ cells
in vitro	Assay dependent

Not tested in other applications.

Calculated MW 35 kDa. ([Note](#))

PROPERTIES

Form	Liquid
Buffer	PBS, 0.05% BSA (Please contact us for PBS only format)
Preservative	0.05% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.2 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Intact CD47 Purified from placenta
Purification	Protein A/G purified
Conjugation	Unconjugated


Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our [website](#).

DATA IMAGES

GTX04817 FACS Image

FACS analysis of PFA-fixed Jurkat cells using GTX04817 CD47 antibody [B6H12.2].

Blue : Primary antibody


Red : Isotype Control


GTX04817 ICC/IF Image

ICC/IF analysis of PFA-fixed MCF-7 cells using GTX04817 CD47 antibody [B6H12.2].

Green : Primary antibody


Red : Nuclear staining


GTX04817 ICC/IF Image

ICC/IF analysis of PFA-fixed Jurkat cells using GTX04817 CD47 antibody [B6H12.3].

Green : Primary antibody

Red : Nuclear staining


GTX04817 Image

SDS-PAGE analysis of GTX04817 CD47 antibody [B6H12.2].

Loading : 2μg



For full product information, images and publications, please visit our [website](https://www.genetex.com).