



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Vilazodone

Cat. No.:	HY-14262		
CAS No.:	163521-12-8		
Molecular Formula:	C ₂₆ H ₂₇ N ₅ O ₂		
Molecular Weight:	441.52		
Target:	5-HT Receptor; Serotonin Transporter		
Pathway:	GPCR/G Protein; Neuronal Signaling		
Storage:	Powder	-20°C	3 years
		4°C	2 years
	In solvent	-80°C	2 years
		-20°C	1 year



SOLVENT & SOLUBILITY

In Vitro	DMSO : 75 mg/mL (169.87 mM; Need ultrasonic)					
	Preparing Stock Solutions	Solvent Concentration	Mass	1 mg	5 mg	10 mg
		1 mM		2.2649 mL	11.3245 mL	22.6490 mL
		5 mM		0.4530 mL	2.2649 mL	4.5298 mL
		10 mM		0.2265 mL	1.1325 mL	2.2649 mL
Please refer to the solubility information to select the appropriate solvent.						
In Vivo	1. Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: ≥ 2.5 mg/mL (5.66 mM); Clear solution					
	2. Add each solvent one by one: 10% DMSO >> 90% corn oil Solubility: ≥ 2.5 mg/mL (5.66 mM); Clear solution					

BIOLOGICAL ACTIVITY

Description	Vilazodone (EMD 68843; SB 659746A) is a potent, selective and orally active serotonin reuptake inhibitor (SSRI) and partial 5-HT _{1A} receptor agonist. Vilazodone exhibits antidepressant efficacy in vivo can be used for the research of major depressive disorder (MDD) and affective disorders ^{[1][2]} .
IC ₅₀ & Target	5-HT _{1A} Receptor
In Vitro	Vilazodone shows an IC ₅₀ of 0.2 nM at the human 5-HT _{1A} receptor and 0.5 nM for the SERT. Vilazodone preferentially binds to the high agonist affinity state of human 5-HT _{1A} receptors, and it displays high affinity (pK _i ≥9.3) for human recombinant and rat, guinea pig, mouse, and marmoset native tissue 5-HT _{1A} receptors. Vilazodone acts as a high efficacy partial agonist at 5-HT _{1A} receptors. In [³⁵ S]GTPγS binding studies in Sf9 cells expressing

	h5-HT_{1A} receptors, a single concentration of Vilazodone (100nM) increases basal binding by approximately 70% of that produced by the full 5-HT_{1A} receptor agonist, 8-OH-PIPAT. In [³⁵S]GTPγS binding studies in rat hippocampal membranes, Vilazodone acts as a potent 5-HT_{1A} receptor partial agonist with a pEC₅₀ of 8.1 and an intrinsic activity of 0.61. Vilazodone acts as a potent 5-HT reuptake inhibitor in rat and guinea pig cortex. In LLCPK cells expressing human SERT, whereby vilazodone inhibits [³H]5-HT uptake with a pIC₅₀ of 8.8^[1]. MCE has not independently confirmed the accuracy of these methods. They are for reference only.
In Vivo	Vilazodone (intraperitoneal injection; 3 mg/kg ; single dose) produces increases in extracellular levels of 5-HT in both the frontal cortex (FC) and ventral hippocampus (vHipp) of rats in vivo microdialysis studies. Maximum increases are observed at 3 mg/kg and reaches 527% and 558% of preinjection baseline values in the FC and vHipp, respectively^[2]. Vilazodone (oral gavage ;55 mg/kg ; single dose) inhibits stress-induced vocalizations in the rat ultrasonic vocalizations test at 120 and 210 min post dose^[2]. MCE has not independently confirmed the accuracy of these methods. They are for reference only.

CUSTOMER VALIDATION

- Prog Neuropsychopharmacol Biol Psychiatry. 2023 Dec 6:110911.

See more customer validations on www.MedChemExpress.com

REFERENCES

- [1]. Lee A. Dawson et al. Vilazodone: A 5-HT_{1A} Receptor Agonist/Serotonin Transporter Inhibitor for the Treatment of Affective Disorders CNS Neuroscience & Therapeutics Volume 15, Issue 2, pages 107-117, June 2009
- [2]. Cruz MP. Vilazodone HCl (Viibryd): A Serotonin Partial Agonist and Reuptake Inhibitor For the Treatment of Major Depressive Disorder. P T. 2012 Jan;37(1):28-31.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA