



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-Breast epithelial mucin [Mc5] Bulk Size Ab00345-23.0-BT

This chimeric rabbit antibody was made using the variable domain sequences of the original Mouse IgG2 format, for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Rabbit IgG, Kappa

Clone Number: Mc5

Alternative Name(s) of Target: BEM

UniProt Accession Number of Target Protein:

Published Application(s): ELISA

Published Species Reactivity: Human

Immunogen: Human breast epithelial mucin.

Specificity: Specifically binds BEM.

Application Notes: This antibody binds to human BEM, a gel-forming extracellular protein that is frequently overexpressed in human breast cancer.

Antibody First Published in: Christian et al. 1996 Cloning and expression of cDNAs encoding the variable domains of the anti-breast carcinoma antibody Mc5. *Hybridoma* 1996; 15(2):155-158 [PMID:8743296](#)

Note on publication: Describes how Mc5 has been used as a reagent in the diagnosis of breast cancer.

Product Form

Size: 1 mg Purified antibody in bulk size.

Purification: Protein A affinity purified

Supplied In: PBS only.

Storage Recommendation: Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommended this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg /ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.