



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-CXCL9 [I5-8] Bulk Size Ab00379-1.4-BT

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

This full-length, reformatted mouse antibody was made using the variable domain sequences of the original Mouse scFv format, for improved compatibility with existing reagents, assays and techniques.

**Isotype and Format:** Mouse IgG1, Fc Silent™, Kappa

**Clone Number:** I5-8

**Alternative Name(s) of Target:** MIG; MIG/CXCL9; Monokine induced by Interferon gamma

**UniProt Accession Number of Target Protein:** Q07325

**Published Application(s):** WB, ELISA

**Published Species Reactivity:** Human

**Immunogen:** Biotinylated human MIG.

**Specificity:** The antibody binds specifically to MIG/CXCL9.

**Application Notes:** The antibody binds to monokine induced by interferon-gamma, a T-cell chemoattractant that interacts with chemokine receptor CXCR3 and is degraded by matrix metalloproteinase 9.

**Antibody First Published in:** Eteshola E. Isolation of scFv fragments specific for monokine induced by interferon-gamma (MIG) using phage display. Journal of Immunological Methods 2010; 358:104-110 [PMID:](#)

**Note on publication:** Describes the generation of scFvs by phage display and ELISA-based affinity characterization.

## Product Form

**Size:** 1 mg Purified antibody in bulk size.

**Purification:** Protein A affinity purified

**Supplied In:** PBS only.

**Storage Recommendation:** Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommended this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

**Concentration:** 1 mg /ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic

procedures for humans or animals.