



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## CD44 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00000960-T01

規格 : [ 100 uL ]

[List All](#)

### Specification

**Transfected Cell Line:** 293T


**Plasmid:** pCMV-CD44 full-length

**Host:** Human

**Theoretical MW (kDa):** 39.4


**Quality Control Testing:** Transient overexpression cell lysate was tested with Anti-CD44 antibody (H00000960-B01) by Western Blots.

#### SDS-PAGE Gel



CD44 transfected lysate.

#### Western Blot



Lane 1: CD44 transfected lysate ( 39.4 KDa)

Lane 2: Non-transfected lysate.

**Storage Buffer:** 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

**Storage Instruction:** Store at -80°C. Aliquot to avoid repeated freezing and thawing.

**MSDS:**  [Download](#)

### Applications

## Western Blot

### Gene Information

Entrez GeneID: [960](#)

GeneBank [NM\\_001001391.1](#)  
Accession#:

Protein =  
Accession#:

Gene Name: CD44

Gene Alias: CDW44,CSPG8,ECMR-III,HCELL,IN,LHR,MC56,MDU2,MDU3,MGC10468,MIC4,MUTCH-I,Pgp1

Gene Description: CD44 molecule (Indian blood group)

Omim ID: [107269](#)

Gene Ontology: [Hyperlink](#)

**Gene Summary:** The protein encoded by this gene is a cell-surface glycoprotein involved in cell-cell interactions, cell adhesion and migration. It is a receptor for hyaluronic acid (HA) and can also interact with other ligands, such as osteopontin, collagens, and matrix metalloproteinases (MMPs). This protein participates in a wide variety of cellular functions including lymphocyte activation, recirculation and homing, hematopoiesis, and tumor metastasis. Transcripts for this gene undergo complex alternative splicing that results in many functionally distinct isoforms, however, the full length nature of some of these variants has not been determined. Alternative splicing is the basis for the structural and functional diversity of this protein, and may be related to tumor metastasis. [provided by RefSeq]

**Other Designations:** CD44 antigen,CD44 antigen (homing function and Indian blood group system),CDW44 antigen,GP90 lymphocyte homing/adhesion receptor,Hermes antigen,antigen gp90 homing receptor,cell adhesion molecule,cell surface glycoprotein CD44,chondroitin sulfate proteogl

### Gene Pathway

[ECM-receptor interaction](#) [Hematopoietic cell lineage](#)

### Related Disease

[Arthritis](#), [Rheumatoid](#), [Breast Neoplasms](#), [Cardiovascular Diseases](#), [Cleft Lip](#), [Cleft Palate](#), [Craniofacial Abnormalities](#), [Diabetes Mellitus, Type 2](#), [Edema](#), [Genetic Predisposition to Disease](#), [Head and Neck Neoplasms](#), [Heart Defects, Congenital](#), [Hepatitis B](#), [Kidney Failure, Chronic](#), [Mouth Abnormalities](#), [Neoplasm Recurrence, Local](#), [Neoplasms](#), [Second Primary](#), [Ovarian Neoplasms](#)